

**US Department of Housing and Urban Development**  
***Office of Public and Indian Housing***  
***PIH Information Center (PIC)***



**FRS 4.0 User Guide**  
**Multiple HA User Guide**  
June 2002



# Table Of Contents

<b>I. INTRODUCTION</b> .....	<b>3</b>
<b>II. INSTALLATION OF FRS 4.0 UPGRADE</b> .....	<b>3</b>
<b>III. HOW TO USE THE MULTIPLE HA FUNCTION</b> .....	<b>3</b>
3.1 TERMINOLOGY.....	4
3.2 OVERVIEW OF HOW TO USE THE MULTIPLE HA FUNCTION.....	4
3.3 ADD HA DATABASE.....	5
3.4 RENAME HA DATABASE.....	6
3.5 DELETE HA DATABASE.....	7
3.6 CHANGE WORKING HA DATABASE.....	8
3.7 CONFIRM WORKING HA DATABASE.....	9
3.8 CONVERT FRS 2.1 DATA.....	9
3.9 ENTER DEFAULT VALUES.....	10
3.10 ENTER NEW HOUSEHOLD DATA.....	10
3.11 MAINTAIN HOUSEHOLD DATA.....	11
3.12 TRANSMIT DATA TO MTCS.....	12
<b>IV. BACK UP MULTIPLE HA DATABASES</b> .....	<b>12</b>
4.1 CREATE BACK-UP FROM WINDOWS 3.1.....	12
4.2 CREATE BACK-UP FROM WINDOWS 95.....	13

# Table Of Figures

Figure 1: Access Multiple HA Function.....	4
Figure 2: Maintain Multiple HA Databases Window.....	5
Figure 3: Add Housing Agency Window.....	5
Figure 4: Maintain Multiple HA Databases Window.....	6
Figure 5: Rename Housing Agency Window.....	7
Figure 6: Maintain Multiple HA Databases Window.....	8
Figure 7: Change Working HA Database Window.....	8
Figure 8: Change Working HA Database Window.....	9
Figure 9: Confirm Current Working HA Database Window.....	10
Figure 10: Maintain Household Window.....	12



## **I. Introduction**

The Family Reporting Software (FRS) 4.0 Multiple HA User Guide helps users who transmit for more than one HA understand how to use the Multiple HA function within FRS 4.0. The Multiple HA function allows FRS 4.0 to capture information for more than one HA from the Form HUD-50058 and format the information for submission to the Multifamily Tenant Characteristics System (MTCS).

For general information about how to use FRS 4.0, please see the FRS 4.0 User Guide, June 2002. The FRS 4.0 User Guide, June 2002, is available from the Documentation page of the MTCS Website at [www.hud.gov/pih/systems/mtcs/document.html](http://www.hud.gov/pih/systems/mtcs/document.html). Please direct additional questions to the MTCS Hotline at 1-800-FON-MTCS or post questions to the Family Reporting Software (FRS) Version 2.0 Forum at [www.hud.gov/pih/board/frs20/pihboard.html](http://www.hud.gov/pih/board/frs20/pihboard.html).

## **II. Installation of FRS 4.0 Upgrade**

Follow these steps to install the FRS 4.0 upgrade:

Download the file **frs\_upgr.exe** from the Software page of the MTCS Website (<http://www.hud.gov/offices/pih/systems/pic/50058/frs/frs30zip.exe>) into the FRS 4.0 directory/folder where you installed FRS 4.0 (the default installation directory/folder is C:\HUDFRS40\).

[Refer chapter 2-A “Data Conversion”](#) for upgrade from Version 3.0 to 4.0.

## **III. How to Use the Multiple HA Function**

You are now ready to use the Multiple HA function of FRS 4.0. This function allows you to create more than one HA database so that you can enter and transmit data for more than one HA to MTCS.

Use the steps in the order designated.



### 3.1 Terminology

Understand the meanings of these terms as you use the FRS 4.0 Multiple HA function.

**Current working HA database:** The user is currently working with this HA database to enter or maintain household data for this HA.

**Alternative HA database:** Another available HA database, other than the current working HA database, that contains household information.

### 3.2 Overview of How to Use the Multiple HA Function



Figure 1: Access Multiple HA Function

Follow these steps to understand how to use the Multiple HA function:

1. Select the **T**ools dropdown menu from the FRS 4.0 Main Menu.
2. Select **A**dminister **M**ultiple **H**As.
  - Select **M**aintain **M**ultiple **H**A **D**atabases to add, rename, or delete an HA database.
  - Select **C**hange **W**orking **H**A **D**atabase to enter and transmit data for another HA.

**NOTE:** You must add at least one HA database through **Maintain Multiple HA Databases** before you can change your current working HA database.



### 3.3 Add HA Database

Follow these steps to add a HA database:

1. Select the **T**ools dropdown menu from the FRS 4.0 Main Menu.
2. Select **Administer Multiple HAs**.
3. Select **Maintain Multiple HA Databases**. The **Maintain Multiple HA Databases** Window appears.




Figure 2: Maintain Multiple HA Databases Window

4. Click . The Add Housing Agency Window appears.




Figure 3: Add Housing Agency Window



5. Enter the
  - PHA code
  - HA 3-digit extension (if applicable)
  - Click . The Add Housing Agency Window closes.
6. FRS 4.0 runs a batch program. FRS 4.0 creates a “Repair and Compact Database” icon for the new database. Close this window. Once the Black DOS box says Finished, close the MS DOS window.
7. To add another HA database, repeat steps 4 through 6 until completed.
8. Click  to close the **Maintain Multiple HA Databases** Window.

### 3.4 Rename HA Database

Follow these steps to rename a HA database:

**NOTE:** You cannot rename an HA database if that HA database is the current working HA database. *To change the working HA database, see 3.6. Change Working HA Database.*

1. Select the **T**ools dropdown menu from the FRS 4.0 Main Menu.
2. Select **Administer Multiple HAs**.
3. Select **Maintain Multiple HA Databases**. The **Maintain Multiple HA Databases** Window appears.




Figure 4: Maintain Multiple HA Databases Window

4. Highlight the HA database you wish to rename in the **HA Database Selection** Window.
5. Click . The Rename **Housing Agency Window** appears.




Figure 5: Rename Housing Agency Window

6. Rename or change the
  - HA code
  - HA 3-digit extension (if applicable)
  - Click . The **Rename Housing Agency** Window closes.
7. To rename another HA database, repeat steps 4 through 6 until completed.
8. Click  to close the **Maintain Multiple HA Databases** Window.

### 3.5 Delete HA database

Follow these steps to delete an HA database:

**NOTE:** You cannot delete an HA database if that HA database is the current working HA database. *To change the working HA database, see 3.6. Change Working HA Database.*

**WARNING:** When you delete an HA database, you will delete all HA and Household data in that HA database. Once you delete an HA database, you cannot recover it.

1. Select the **T**ools dropdown menu from the FRS 4.0 Main Menu.
2. Select **Administer Multiple HAs**.
3. Select **Maintain Multiple HA Databases**. The **Maintain Multiple HA Databases** Window appears.






Figure 6: Maintain Multiple HA Databases Window

4. Highlight the HA database you wish to delete in the HA Database Selection Window.
5. Click .
6. FRS 4.0 will display a dialog box with a warning message. Click  to delete. Click  to cancel the delete request and return to the Maintain Multiple HA Databases window.
7. To delete another HA database, repeat steps 4 through 6 until completed.
8. Click  to close the **Maintain Multiple HA Databases** Window.

### 3.6 Change Working HA Database

Follow these steps to change the working HA database:

**NOTE:** Select **Change Working HA Database** to enter and transmit data for another HA. You must add at least one HA database through **Maintain Multiple HA Databases** before you can change your current working HA database.

1. Select the Tools dropdown menu from the FRS 4.0 Main Menu.
2. Select Administer Multiple HAs.
3. Select Change Working HA Database. The Change Working HA Database Window appears.




Figure 7: Change Working HA Database Window

4. Highlight the HA database in the **Alternative HA Database** Selection box that you want to make your current working HA database.



5. Click . The selected HA database is now the current working HA database.
6. Click  to close the **Change Working HA Database** Window.

### 3.7 Confirm Working HA Database

Follow these steps to confirm the working HA database:

1. Select the Tools dropdown menu from the FRS 4.0 Main Menu.
2. Select Administer Multiple HAs.
3. Select Change Working HA Database. The Change Working HA Database Window appears.




Figure 8: Change Working HA Database Window

4. Verify that the **Current Working HA Database** field in the Change Working HA Database Window displays the desired working HA database. To change the working HA database, see **3.6. Change Working HA Database**.
5. Click  to close the **Change Working HA Database** Window.

### 3.8 Convert FRS 2.1 data

Follow these steps to convert FRS 2.1 data:

1. Add HA Database for the PHA whose data is to be converted, see 3.3. This has to be done for databases other than the Single user database, even if the PHA database existed in FRS 2.1.



2. Confirm that the current working HA database is set for the HA you wish to convert. *To confirm the current working HA database, see 3.7. Confirm Working HA database.*
3. Convert each HA database before you begin to enter data. For information on how to convert a database, see the FRS 4.0 User Guide at <http://www.hud.gov/offices/pih/systems/pic/50058/frs/frsusr/>.

### 3.9 Enter Default Values

Follow these steps to enter default values for converted databases:

**NOTE:** Skip these steps if you entered default values during conversion.

1. Confirm that the current working HA database is set for the HA for which you wish to enter default values. *To confirm the current working HA database, see 3.7. Confirm Working HA database.*
2. Enter default values for the current HA in the **HA Configuration** dropdown menu. For information on how to enter data into the HA Configuration dropdown menu, see the FRS 4.0 User Guide at <http://www.hud.gov/offices/pih/systems/pic/50058/frs/frsusr/>

### 3.10 Enter New Household data

Follow these steps to enter new household data with the Multiple HA function:

1. Click  from the FRS 4.0 Main Menu. The Confirm Current Working HA Database Window appears.

**NOTE:** You must add at least one HA database through **Maintain Multiple HA Databases** before you will see this selection window. Skip to step 4.





Figure 9: Confirm Current Working HA Database Window

2. Highlight the HA database in the **Current Working HA Database Selection** Window that corresponds to the current working HA database.



3. Click .

**NOTE:** If the **Current Working HA Database Confirmation Warning!** Window appears, you selected an HA database that is NOT the current working HA database.

Click . Please verify and, if necessary, change your current working HA database before you attempt to enter a new household.


**NOTE:** To enter household data for a different HA than the current working HA database, click . *To change the working HA database, see 3.6. Change Working HA Database.*

4. Enter household data. For information on how to enter data for new households, see the FRS 4.0 User Guide at <http://www.hud.gov/offices/pih/systems/pic/50058/frs/frsusr/>.

### 3.11 Maintain Household data

Follow these steps to maintain household data with the Multiple HA function:

1. Click  from the FRS 4.0 Main Menu. The Head of Household Browser Window appears.



	Head of Household Name	SSN	Program
AB	Smith, John K	999-99-9999	
CD			
EF			
GH			
IJ			
KL			
MN			
OP			
QR			
ST			
UV			
WX			
YZ			



Figure 10: Maintain Household Window

2. Verify the current working HA database is displayed in the Head of Household browser. Confirm that the correct HA name and PHA code appear in the HA Name and PHA code fields.

**NOTE:** To enter household data for a different HA than the current working HA database,

click  to close the **Head of Household Browser** window. To change the working HA database, see 3.6. *Change Working HA Database*.

3. Maintain household data. For information on how to maintain households, see the FRS 4.0 User Guide at <http://www.hud.gov/offices/pih/systems/pic/50058/frs/frsusr/>.

### 3.12 Transmit Data to MTCS

Follow these steps to transmit data to MTCS:

1. Confirm that the current working HA database is set for the HA for which you wish to transmit data. *To confirm the current working HA database, see 3.7. Confirm Working HA database.*
2. Transmit data to MTCS. For more information on how to transmit data to MTCS, see the FRS 4.0 User Guide at <http://www.hud.gov/offices/pih/systems/pic/50058/frs/frsusr/>.

## IV. Back up Multiple HA Databases

You should back up your multiple HA databases on a regular basis in accordance with your back up procedures.

### 4.1 Create Back-up from Windows 3.1

Follow these steps to create a backup from Windows 3.1:

1. Make sure FRS 4.0 is not running or open at the time.
2. From the Program Manager, double click the directory/folder that contains the File Manager (usually the Main directory/folder). Double click the File Manager icon to open the File Manager.
3. At the top of the File Manager screen is a horizontal list of all available drives. Click the drive where you installed FRS 4.0 (the default is C:). A window appears that lists all directories/folders and files contained on that drive.
4. Locate and double click to open the FRS 4.0 directory/folder where you installed FRS 4.0 (the default is C:\HUDFRS40).
5. Select the HA Database files.
  - For a database called *Single User Database*, select **FRS4DATA.mdb**
  - For other HA databases, select the appropriate **\*.mdb** files.

**NOTE:** FRS 4.0 stores all multiple HA databases with the same file name format: HA State Code, HA Number, HA Extension (if applicable), followed by the **.mdb** extension. Example: For HA VT234, FRS 4.0 stores the HA database as VT234.mdb.



6. From the **File** dropdown menu, select **Copy**. When the copy dialog box opens, enter the location of where to place the backup.

#### 4.2 Create Back-up from Windows 95

Follow these steps to create a backup from Windows 95:

1. Make sure FRS 4.0 is not running or open at the time.
2. From the windows desktop, double click the **My Computer icon**. A window appears that lists all available drives for the personal computer.
3. Double click the drive icon where you installed FRS 4.0 (the default is C:\). A window appears that lists all directories/folders and files contained on that drive.
4. Locate the FRS 4.0 directory/folder where you installed FRS 4.0 (the default is C:\HUDFRS40\). Double click the icon. The FRS 4.0 directory/folder opens.
5. Select the HA Database files.
6. For a database called Single User Database, select FRS4DATA.mdb
7. For other HA databases, select the appropriate \*.mdb files.  
**NOTE:** FRS 4.0 stores all multiple HA databases with the same file name format: PHA Code, HA Extension (if applicable), followed by the .mdb extension. Example: For HA VT234, FRS stores the HA database as VT234.mdb.
8. From the Edit dropdown menu, select Copy. Select the directory/folder where you wish to place the backup. From the Edit menu, select Paste.