02/27/2018

# TITLE V, FEDERAL SURPLUS PROPERTY PROGRAM FEDERAL REGISTER REPORT FOR 02/23/2018

## SUITABLE / AVAILABLE PROPERTIES BUILDING MISSISSIPPI

Shop/Utility Asset #640800B2HS

42 MAFES Circle

Holly Springs MS 38635

Landholding Agency: Agriculture Property Number: 15201810008

Status: Excess Directions:

RPUID: 3.54108 MAFES Leased Land with ARS Assets 13095/Site 03

Comments:

Off-site removal only; 44+ yrs. old; 600 sq. ft.; warehouse; vacant 6+ mos.; poor condition; pesticides, chemicals, contact Agriculture for more information.

#### **WYOMING**

Building 39 1898 Fort Road

Sheridan WY 83801

Landholding Agency: VA

Property Number: 97201810001

Status: Unutilized

Directions:

Sheridan WY VA Medical Center Station 666

#### Comments:

109+ yrs. old; 4,997 sq. ft.; hay shed; reasonable conditions; asbestos and lead; access during business hours 8-4:30 pm; on the National Register of Historic Places; contact VA for more information.

## SUITABLE / AVAILABLE PROPERTIES BUILDING WYOMING

Building 34 1898 Fort Road Sheridan WY 83801 Landholding Agency: VA

Property Number: 97201810003 Status: Unutilized

Directions:

Sheridan WY VA Medical Center, Station 666;?

?

111+ yrs. old; 1,830 sq. ft.;

#### Comments:

Former army magazine; reasonable conditions; asbestos and lead; access during business hours 8-4:30 pm; on the National Register of Historic Places; contact VA for more information.

Building 83 1898 Fort Road Sheridan WY 83801 Landholding Agency: VA

Property Number: 97201810004

Status: Unutilized

Directions:

Sheridan WY VA Medical Center, Station 666

#### Comments:

85+ yrs. old; 210 sq. ft.; guinea pig house; poor condition; asbestos and lead; access during business hours 8-4:30 pm; on the National Register of Historic Places; contact VA for more information.

# SUITABLE / AVAILABLE PROPERTIES LAND

#### **FLORIDA**

FAA BE7 Radio Communications

Link Repeater

14855 Southeast 112th Place

Ocklawaha FL 32179

Landholding Agency: GSA

Property Number: 54201810002

Status: Excess

GSA Number: 4-U-FL-1341-AA

Directions:

Disposal Agency: GSA; Landholding Agency: DOT

Comments:

9.3 acres; FAA antenna tower; contact GSA for more information.

### **LOUISIANA**

6 Buildings

Border Patrol Sector Hdqts., NO

New Orleans LA 70112

Landholding Agency: GSA

Property Number: 54201810003

Status: Surplus

GSA Number: 7-G-LA-0522-AA

Directions:

Bldg. 1-4,399 sf. office; Bldg. 2-3,295 sf. storage/garage; Bldg. 3-2,991 sf. storage.;

Bldg. 4-1,001 sf. storage; Bldg. 13-6,039 sf. office; Bldg. 14-501 sf. storage. GSA

**Inventory Control #811?** 

9

 $Total\ of\ 16,135\ sq.\ ft.;\ 84+\ yrs.\ old;\ bldgs.\ 1,2,4,13\ and\ 14\ in\ good\ condition;\ bldg.$ 

3 need extensive repairs;

#### Comments:

Bldgs. are eligible for listing on the National Register of Historic Places; sits on 2.97 acres of land; prior approval needed to gain access; contact GSA for more information.

## UNSUITABLE PROPERTIES BUILDING ALASKA

Corner Bay Crew Housing Corner Bay on Tenakee Inlet Chichagof Island AK

Landholding Agency: Agriculture Property Number: 15201810010

Status: Underutilized

Comments:

Property is inaccessible because it is landlocked and can only be reached by crossing private property and there is no established right or means of entry.

Reasons:

Not accessible by road

#### **ARKANSAS**

Vault Toilet Restroom, Gillham-44677, Cossatot Point Park, Gillham Lake CESWL -OP-MW-GL Gillham Lake Road Gillham AR 71833

Landholding Agency: Army Property Number: 21201810080

Status: Unutilized

Directions:

Latitude: -34.215020113; Longitude: -94.234876213?

9

#### Comments:

Building is beyond repairs; water damage to roof; subject to inundation by flood controlled lake.

#### Reasons:

Extensive deteriorationFloodway

# UNSUITABLE PROPERTIES BUILDING CONNECTICUT

Northfield Brook Lane

1550 Northfield Road (Route 254)

Thomaston CT 06787

Landholding Agency: Army Property Number: 21201810078

Status: Underutilized

Comments:

Public access denied and no alternative method to gain access without compromising national security; property located within floodway which has not been correct or contained.

Reasons:

Secured AreaFloodway

### **LOUISIANA**

BC413

60825-B Hwy 1148

Plaquemine LA 70764

Landholding Agency: Energy Property Number: 41201810004

Status: Excess Directions:

Public access denied and no alternative method to gain access without compromising national security;

#### Comments:

Crude oil storage caverns and pipelines compromising the entire 4,175 sq. ft. of the building; 90% mold contamination and flooding; area is landlocked by industrial neighbors.

#### Reasons:

Secured AreaWithin 2000 ft. of flammable or explosive materialContaminationNot accessible by road

# UNSUITABLE PROPERTIES BUILDING MISSISSIPPI

Office/Shop Asset #640800B1HS 42 MAFES Circle

Holly Springs MS 38635

Landholding Agency: Agriculture Property Number: 15201810007

Status: Excess Directions:

RPUID: 3.54107 MAFES Leased Land with ARS Assets 13095/Site 03

Comments:

Public access denied and no alternative method to gain access without compromising national security.

Reasons:

Secured Area

Pole Structure Asset #640800B027 42 MAFES Circle Holly Springs MS 38635

Landholding Agency: Agriculture Property Number: 15201810009

Status: Excess Directions:

RPUID: 22970054320 MAFES Leased land with ARS Assets 13095/Site 03

Comments:

Public access denied and no other method to gain access without compromising national security.

Reasons:

Secured Area

# UNSUITABLE PROPERTIES BUILDING TENNESSEE

Old Hickory Lock & Dam Project

7689 Hwy 109 N.,

Lebanon TN 37087

Landholding Agency: COE Property Number: 31201810005

Status: Underutilized

Comments:

Poor conditions due to deterioration and damage to the structure. Extensive repairs required and would be more costly than replace the building.

Reasons:

Extensive deterioration

#### WYOMING

Building 30 1898 Fort Road Sheridan WY 83801

Sheridan w i 83801

Landholding Agency: VA

Property Number: 97201810002

Status: Unutilized

Directions:

Sheridan WY VA Medical Center Station 666

Comments:

Building is in irreparable condition, roof damage and unsafe to enter.

Reasons:

Extensive deterioration