

TITLE: INFESTATION
VERSION: VI.3
DATE PUBLISHED: 7/31/20

DEFINITION: The presence of potentially disease carrying animals or insects.
PURPOSE: None
NAME VARIANTS: None
COMMON MATERIALS: None
COMMON COMPONENTS: Insects: bees, wasps, termites, bedbugs, ants, spiders, cockroaches, fruit flies, flies, etc.
 Mammals: rats, mice, nutria, possum, racoons, armadillos, bats, birds, squirrels, gophers, etc.
 Reptiles: snakes, iguanas, etc.
LOCATION: Unit Kitchen, cabinet, refrigerator, cooking appliance, bathroom, furniture, bed, carpet, drapes
 Inside Kitchen, cabinet, refrigerator, cooking appliance, bathroom, furniture, carpet, drapes
 Outside Near refuse enclosure or anywhere garbage is present, eaves of roofing
MORE INFORMATION: None

DEFICIENCY 1: Evidence of cockroaches
LOCATION: Unit Inside

DEFICIENCY 2: Evidence of bedbugs
LOCATION: Unit Inside

DEFICIENCY 3: Evidence of mice
LOCATION: Unit Inside

DEFICIENCY 4: Evidence of rats
LOCATION: Unit Inside Outside

DEFICIENCY 5: Evidence of other pests
LOCATION: Unit Inside

DEFICIENCY I — UNIT: EVIDENCE OF COCKROACHES

DEFICIENCY CRITERIA: Evidence of cockroaches is found.

HEALTH AND SAFETY DETERMINATION: Standard This is a standard health and safety issue. A repair, correction, or act of abatement for this deficiency should occur within 30 days.

CORRECTION TIMEFRAME: Within 30 days

HCV — CORRECTION TIMEFRAME: Within 30 days

RATIONALE:

CODE	CATEGORY	TYPE	DESCRIPTION	EXPLANATION
R1	Health	Direct	Condition could affect resident's mental, or physical, or psychological state.	If there is evidence of cockroaches, then resident may be exposed to disease-causing pathogens and that may increase the risk of respiratory issues, including asthma.
R3	Sanitary	Direct	Special sub-set of health hazards related to hygiene. Resident cannot clean or dispose of waste or does not have clean drinking water.	If there is evidence of cockroaches, then resident may be unable to maintain a sanitary environment.
M1	Corrective Maintenance	Direct	It is reasonable to expect a tenant to report this deficiency, and for facilities management to prioritize a work order response to fix that deficiency.	If there is evidence of cockroaches, then resident will likely report this, and the presence of this defect may indicate that complaint-based work orders are not being addressed.
M2	Routine Maintenance	Direct	It is reasonable to expect that this deficiency would be identified through routine daily observations and facilities management would prioritize work orders to fix this deficiency.	If there is evidence of cockroaches, then it should be identified through routine maintenance activities and their presence may indicate that self-generated work orders are not being addressed.

INSPECTION PROCESS:

OBSERVATION: - Look in warm and dark areas of the property for evidence of cockroaches, such as dead or live roaches, shed skins, droppings (small black specks or smears), and egg cases (brown oblong cases: 5 - 9mm long).

REQUEST FOR HELP: - None

ACTION: Using an inspection mirror and flashlight, carefully examine each of the following:

- kitchen sink,
- kitchen cabinets,
- voids between and under appliances and cabinets,
- ceiling-wall junction,
- bathroom,
- tops of doors,

- circuit breaker panel,
- around outlets,
- switches,
- mechanical rooms, and
- water heaters.

More Information: - None

TOOLS OR EQUIPMENT:

REQUIRED: - None

USEFUL: - Flashlight; Inspection mirror

DEFICIENCY I — INSIDE: EVIDENCE OF COCKROACHES

DEFICIENCY CRITERIA: Evidence of cockroaches is found.

HEALTH AND SAFETY DETERMINATION: Standard This is a standard health and safety issue. A repair, correction, or act of abatement for this deficiency should occur within 30 days.

CORRECTION TIMEFRAME: Within 30 days

HCV — CORRECTION TIMEFRAME: Within 30 days

RATIONALE:

CODE	CATEGORY	TYPE	DESCRIPTION	EXPLANATION
R1	Health	Direct	Condition could affect resident's mental, or physical, or psychological state.	If there is evidence of cockroaches, then resident may be exposed to disease-causing pathogens and that may increase the risk of respiratory issues, including asthma.
R3	Sanitary	Direct	Special sub-set of health hazards related to hygiene. Resident cannot clean or dispose of waste or does not have clean drinking water.	If there is evidence of cockroaches, then resident may be unable to maintain a sanitary environment.
M1	Corrective Maintenance	Direct	It is reasonable to expect a tenant to report this deficiency, and for facilities management to prioritize a work order response to fix that deficiency.	If there is evidence of cockroaches, then resident will likely report this, and the presence of this defect may indicate that complaint-based work orders are not being addressed.
M2	Routine Maintenance	Direct	It is reasonable to expect that this deficiency would be identified through routine daily observations and facilities management would prioritize work orders to fix this deficiency.	If there is evidence of cockroaches, then it should be identified through routine maintenance activities and their presence may indicate that self-generated work orders are not being addressed.

INSPECTION PROCESS:

OBSERVATION: - Look in warm and dark areas of the property for evidence of cockroaches, such as dead or live roaches, shed skins, droppings (small black specks or smears), and egg cases (brown oblong cases: 5 - 9mm long).

REQUEST FOR HELP: - None

ACTION: Using an inspection mirror and flashlight, carefully examine each of the following:

- kitchen sink,
- kitchen cabinets,
- voids between and under appliances and cabinets,
- ceiling-wall junction,
- bathroom,
- tops of doors,

- circuit breaker panel,
- around outlets,
- switches,
- mechanical rooms, and
- water heaters.

More Information: - None

TOOLS OR EQUIPMENT:

REQUIRED: - None

USEFUL: - Flashlight; Inspection mirror

DEFICIENCY 2 — UNIT: EVIDENCE OF BEDBUGS

DEFICIENCY CRITERIA: Evidence of bedbugs is found.

HEALTH AND SAFETY DETERMINATION: Standard This is a standard health and safety issue. A repair, correction, or act of abatement for this deficiency should occur within 30 days.

CORRECTION TIMEFRAME: Within 30 days

HCV — CORRECTION TIMEFRAME: Within 30 days

RATIONALE:

CODE	CATEGORY	TYPE	DESCRIPTION	EXPLANATION
R1	Health	Direct	Condition could affect resident's mental, or physical, or psychological state.	If there is evidence of bedbugs, then resident may be subjected skin irritants.
R3	Sanitary	Direct	Special sub-set of health hazards related to hygiene. Resident cannot clean or dispose of waste or does not have clean drinking water.	If there is evidence of bedbugs, then resident may be unable to maintain a sanitary environment.
M1	Corrective Maintenance	Direct	It is reasonable to expect a tenant to report this deficiency, and for facilities management to prioritize a work order response to fix that deficiency.	If there is evidence of bedbugs, then resident will likely report this and the presence of this defect may indicate that complaint-based work orders are not being addressed.

INSPECTION PROCESS:

- OBSERVATION: - Look near headboards, drapes, mattresses, couches, corner of walls, and near outlets for evidence of bedbugs (e.g. live or dead bedbugs, feces, eggs, or blood trails).
- REQUEST FOR HELP: - None
- ACTION: - Enter bedrooms in dwelling units and use a flashlight to search edges at the sides of the bed and along the headboard, baseboard, and wall nearest the bed, the corners of the wall and ceiling.
- More Information: - For the purpose of this inspection, do not remove a resident's bedding or personal items.

TOOLS OR EQUIPMENT:

- REQUIRED: - Flashlight; Inspection mirror
- USEFUL: - None

DEFICIENCY 2 — INSIDE: EVIDENCE OF BEDBUGS

DEFICIENCY CRITERIA: Evidence of bedbugs is found.

HEALTH AND SAFETY DETERMINATION: Standard This is a standard health and safety issue. A repair, correction, or act of abatement for this deficiency should occur within 30 days.

CORRECTION TIMEFRAME: Within 30 days

HCV — CORRECTION TIMEFRAME: Within 30 days

RATIONALE:

CODE	CATEGORY	TYPE	DESCRIPTION	EXPLANATION
R1	Health	Direct	Condition could affect resident's mental, or physical, or psychological state.	If there is evidence of bedbugs, then resident may be subjected skin irritants.
R3	Sanitary	Direct	Special sub-set of health hazards related to hygiene. Resident cannot clean or dispose of waste or does not have clean drinking water.	If there is evidence of bedbugs, then resident may be unable to maintain a sanitary environment.
M1	Corrective Maintenance	Direct	It is reasonable to expect a tenant to report this deficiency, and for facilities management to prioritize a work order response to fix that deficiency.	If there is evidence of bedbugs, then resident will likely report this and the presence of this defect may indicate that complaint-based work orders are not being addressed.

INSPECTION PROCESS:

- OBSERVATION: - Look near drapes, couches, corner of walls, and near outlets for evidence of bedbugs (e.g. live or dead bedbugs, feces, eggs, or blood trails).
- REQUEST FOR HELP: - None
- ACTION: - Enter the common areas and use a flashlight to search baseboards, walls, the corners of the wall and ceiling.
- More Information: - None

TOOLS OR EQUIPMENT:

- REQUIRED: - Flashlight; Inspection mirror
- USEFUL: - None

DEFICIENCY 3 — UNIT: EVIDENCE OF MICE

DEFICIENCY CRITERIA: Evidence of mice is found.

HEALTH AND SAFETY DETERMINATION: Standard This is a standard health and safety issue. A repair, correction, or act of abatement for this deficiency should occur within 30 days.

CORRECTION TIMEFRAME: Within 30 days

HCV — CORRECTION TIMEFRAME: Within 30 days

RATIONALE:

CODE	CATEGORY	TYPE	DESCRIPTION	EXPLANATION
R1	Health	Direct	Condition could affect resident's mental, or physical, or psychological state.	If there is evidence of mice, then resident may be exposed to numerous infectious diseases.
R3	Sanitary	Direct	Special sub-set of health hazards related to hygiene. Resident cannot clean or dispose of waste or does not have clean drinking water.	If there is evidence of mice, then resident may be unable to maintain a sanitary environment.
M1	Corrective Maintenance	Direct	It is reasonable to expect a tenant to report this deficiency, and for facilities management to prioritize a work order response to fix that deficiency.	If there is evidence of mice, then resident will likely report this, and the presence of this defect may indicate that complaint-based work orders are not being addressed.
M2	Routine Maintenance	Direct	It is reasonable to expect that this deficiency would be identified through routine daily observations and facilities management would prioritize work orders to fix this deficiency.	If there is evidence of mice, then it should be identified through routine maintenance activities and their presence may indicate that self-generated work orders are not being addressed.

INSPECTION PROCESS:

- OBSERVATION: - Look in kitchen, trash area, behind and under refrigerators and stoves, and under sink and baseboard heater for evidence of mice, such as droppings (size of grain of rice- small and smooth with pointed ends), chewed holes, urine trails, and smell.
- REQUEST FOR HELP: - None
- ACTION: - None
- More Information: - If there is a sticky pad or trap with a mouse on it, record deficiency.
 - If there is an empty sticky pad or mouse trap without a mouse on it, do not record.

TOOLS OR EQUIPMENT:

REQUIRED: - None

USEFUL: - None

DEFICIENCY 3 — INSIDE: EVIDENCE OF MICE

DEFICIENCY CRITERIA: Evidence of mice is found.

HEALTH AND SAFETY DETERMINATION: Standard This is a standard health and safety issue. A repair, correction, or act of abatement for this deficiency should occur within 30 days.

CORRECTION TIMEFRAME: Within 30 days

HCV — CORRECTION TIMEFRAME: Within 30 days

RATIONALE:

CODE	CATEGORY	TYPE	DESCRIPTION	EXPLANATION
R1	Health	Direct	Condition could affect resident's mental, or physical, or psychological state.	If there is evidence of mice, then resident may be exposed to numerous infectious diseases.
R3	Sanitary	Direct	Special sub-set of health hazards related to hygiene. Resident cannot clean or dispose of waste or does not have clean drinking water.	If there is evidence of mice, then resident may be unable to maintain a sanitary environment.
M1	Corrective Maintenance	Direct	It is reasonable to expect a tenant to report this deficiency, and for facilities management to prioritize a work order response to fix that deficiency.	If there is evidence of mice, then resident will likely report this, and the presence of this defect may indicate that complaint-based work orders are not being addressed.
M2	Routine Maintenance	Direct	It is reasonable to expect that this deficiency would be identified through routine daily observations and facilities management would prioritize work orders to fix this deficiency.	If there is evidence of mice, then it should be identified through routine maintenance activities and their presence may indicate that self-generated work orders are not being addressed.

INSPECTION PROCESS:

OBSERVATION: - Look in kitchen, trash area, behind and under refrigerators and stoves, and under sink and baseboard heater for evidence of mice, such as droppings (size of grain of rice- small and smooth with pointed ends), chewed holes, urine trails, and smell.

REQUEST FOR HELP: - None

ACTION: - None

More Information: - If there is a sticky pad or trap with a mouse on it, record deficiency.
 - If there is an empty sticky pad or mouse trap without a mouse on it, do not record.

TOOLS OR EQUIPMENT:

REQUIRED: - None

USEFUL: - None

DEFICIENCY 4 — UNIT: EVIDENCE OF RATS

DEFICIENCY CRITERIA: Evidence of rats is found.

HEALTH AND SAFETY DETERMINATION: Standard This is a standard health and safety issue. A repair, correction, or act of abatement for this deficiency should occur within 30 days.

CORRECTION TIMEFRAME: Within 30 days

HCV — CORRECTION TIMEFRAME: Within 30 days

RATIONALE:

CODE	CATEGORY	TYPE	DESCRIPTION	EXPLANATION
R1	Health	Direct	Condition could affect resident's mental, or physical, or psychological state.	If there is evidence of rats, then resident may be exposed to numerous infectious diseases.
R3	Sanitary	Direct	Special sub-set of health hazards related to hygiene. Resident cannot clean or dispose of waste or does not have clean drinking water.	If there is evidence of rats, then resident may be unable to maintain a sanitary environment.
M1	Corrective Maintenance	Direct	It is reasonable to expect a tenant to report this deficiency, and for facilities management to prioritize a work order response to fix that deficiency.	If there is evidence of rats, then resident will likely report this, and the presence of this defect may indicate that complaint-based work orders are not being addressed.
M2	Routine Maintenance	Direct	It is reasonable to expect that this deficiency would be identified through routine daily observations and facilities management would prioritize work orders to fix this deficiency.	If there is evidence of rats, then it should be identified through routine maintenance activities and their presence may indicate that self-generated work orders are not being addressed.

INSPECTION PROCESS:

OBSERVATION: Look in all areas where trash and food is prevalent for:
 - rat burrows,
 - rat droppings (shiny, black and 1/2 - 3/4 of an inch long), or
 - chewed holes in exterior door sweeps or at edges of outer doors (rat teeth are typically 1/8 inch long).

REQUEST FOR HELP: - None

ACTION: - None

More Information: - If there is a sticky pad or trap with a rat on it, record deficiency.
 - If there is an empty sticky pad or mouse trap without a rat on it, do not record.

TOOLS OR EQUIPMENT:

REQUIRED: - None

USEFUL: - Flashlight; Inspection mirror

DEFICIENCY 4 — INSIDE: EVIDENCE OF RATS

DEFICIENCY CRITERIA: Evidence of rats is found.

HEALTH AND SAFETY DETERMINATION: Standard This is a standard health and safety issue. A repair, correction, or act of abatement for this deficiency should occur within 30 days.

CORRECTION TIMEFRAME: Within 30 days

HCV — CORRECTION TIMEFRAME: Within 30 days

RATIONALE:

CODE	CATEGORY	TYPE	DESCRIPTION	EXPLANATION
R1	Health	Direct	Condition could affect resident's mental, or physical, or psychological state.	If there is evidence of rats, then resident may be exposed to numerous infectious diseases.
R3	Sanitary	Direct	Special sub-set of health hazards related to hygiene. Resident cannot clean or dispose of waste or does not have clean drinking water.	If there is evidence of rats, then resident may be unable to maintain a sanitary environment.
M1	Corrective Maintenance	Direct	It is reasonable to expect a tenant to report this deficiency, and for facilities management to prioritize a work order response to fix that deficiency.	If there is evidence of rats, then resident will likely report this, and the presence of this defect may indicate that complaint-based work orders are not being addressed.
M2	Routine Maintenance	Direct	It is reasonable to expect that this deficiency would be identified through routine daily observations and facilities management would prioritize work orders to fix this deficiency.	If there is evidence of rats, then it should be identified through routine maintenance activities and their presence may indicate that self-generated work orders are not being addressed.

INSPECTION PROCESS:

OBSERVATION: Look in all areas where trash and food is prevalent for:
 - rat burrows,
 - rat droppings (shiny, black and 1/2 - 3/4 of an inch long), or
 - chewed holes in exterior door sweeps or at edges of outer doors (rat teeth are typically 1/8 inch long).

REQUEST FOR HELP: - None

ACTION: - None

More Information: - If there is a sticky pad or trap with a rat on it, record deficiency.
 - If there is an empty sticky pad or mouse trap without a rat on it, do not record.

TOOLS OR EQUIPMENT:

REQUIRED: - None

USEFUL: - Flashlight; Inspection mirror

DEFICIENCY 4 — OUTSIDE: EVIDENCE OF RATS

DEFICIENCY CRITERIA: Evidence of rats is found.

HEALTH AND SAFETY DETERMINATION: Standard This is a standard health and safety issue. A repair, correction, or act of abatement for this deficiency should occur within 30 days.

CORRECTION TIMEFRAME: Within 30 days

HCV — CORRECTION TIMEFRAME: Within 30 days

RATIONALE:

CODE	CATEGORY	TYPE	DESCRIPTION	EXPLANATION
R1	Health	Direct	Condition could affect resident’s mental, or physical, or psychological state.	If there is evidence of rats, then resident may be exposed to numerous infectious diseases.
R3	Sanitary	Direct	Special sub-set of health hazards related to hygiene. Resident cannot clean or dispose of waste or does not have clean drinking water.	If there is evidence of rats, then resident may be unable to maintain a sanitary environment.
M1	Corrective Maintenance	Direct	It is reasonable to expect a tenant to report this deficiency, and for facilities management to prioritize a work order response to fix that deficiency.	If there is evidence of rats, then resident will likely report this, and the presence of this defect may indicate that complaint-based work orders are not being addressed.
M2	Routine Maintenance	Direct	It is reasonable to expect that this deficiency would be identified through routine daily observations and facilities management would prioritize work orders to fix this deficiency.	If there is evidence of rats, then it should be identified through routine maintenance activities and their presence may indicate that self-generated work orders are not being addressed.

INSPECTION PROCESS:

OBSERVATION: Look in all areas where trash and food is prevalent for:
 - rat burrows,
 - rat droppings (shiny, black and 1/2 - 3/4 of an inch long), or
 - chewed holes in exterior door sweeps or at edges of outer doors (rat teeth are typically 1/8 inch long).

REQUEST FOR HELP: - None

ACTION: - None

More Information: - If there is a sticky pad or trap with a rat on it, record deficiency.
 - If there is an empty sticky pad or mouse trap without a rat on it, do not record.

TOOLS OR EQUIPMENT:

REQUIRED: - None

USEFUL: - Flashlight; Inspection mirror

DEFICIENCY 5 — UNIT: EVIDENCE OF OTHER PESTS

DEFICIENCY CRITERIA: Evidence is present of other pest infestations, including but not limited to: trail of ants, wasps/beehives, squirrels, birds, and bats in an interior area.

HEALTH AND SAFETY DETERMINATION: Standard This is a standard health and safety issue. A repair, correction, or act of abatement for this deficiency should occur within 30 days.

CORRECTION TIMEFRAME: Within 30 days

HCV — CORRECTION TIMEFRAME: Within 30 days

RATIONALE:

CODE	CATEGORY	TYPE	DESCRIPTION	EXPLANATION
R1	Health	Direct	Condition could affect resident's mental, or physical, or psychological state.	If there is evidence of infestation, then resident may be exposed to numerous infectious diseases.
R3	Sanitary	Direct	Special sub-set of health hazards related to hygiene. Resident cannot clean or dispose of waste or does not have clean drinking water.	If there is evidence of infestation, then resident may be unable to maintain a sanitary environment.
M1	Corrective Maintenance	Direct	It is reasonable to expect a tenant to report this deficiency, and for facilities management to prioritize a work order response to fix that deficiency.	If there is evidence of infestation, then resident will likely report this and the presence of this defect may indicate that complaint-based work orders are not being addressed.
M2	Routine Maintenance	Direct	It is reasonable to expect that this deficiency would be identified through routine daily observations and facilities management would prioritize work orders to fix this deficiency.	If there is evidence of infestation, then it should be identified through routine maintenance activities and their presence may indicate that self-generated work orders are not being addressed.

INSPECTION PROCESS:

OBSERVATION: - Look for evidence of other pests intruding an interior area.
 - Look for ant trails near food storage areas.
 - Look for wasp nests and beehives present in an interior area.
 - Look for evidence that squirrels, birds, or bats have penetrated the building covering and are nesting inside a building.

REQUEST FOR HELP: - None

ACTION: - None

More Information: - None

TOOLS OR EQUIPMENT:

REQUIRED: - None

USEFUL: - Flashlight; Inspection mirror

DEFICIENCY 5 — INSIDE: EVIDENCE OF OTHER PESTS

DEFICIENCY CRITERIA: Evidence is present of other pest infestations, including but not limited to: trail of ants, wasps/beehives, squirrels, birds, and bats in an interior area.

HEALTH AND SAFETY DETERMINATION: Standard This is a standard health and safety issue. A repair, correction, or act of abatement for this deficiency should occur within 30 days.

CORRECTION TIMEFRAME: Within 30 days

HCV — CORRECTION TIMEFRAME: Within 30 days

RATIONALE:

CODE	CATEGORY	TYPE	DESCRIPTION	EXPLANATION
R1	Health	Direct	Condition could affect resident's mental, or physical, or psychological state.	If there is evidence of infestation, then resident may be exposed to numerous infectious diseases.
R3	Sanitary	Direct	Special sub-set of health hazards related to hygiene. Resident cannot clean or dispose of waste or does not have clean drinking water.	If there is evidence of infestation, then resident may be unable to maintain a sanitary environment.
M1	Corrective Maintenance	Direct	It is reasonable to expect a tenant to report this deficiency, and for facilities management to prioritize a work order response to fix that deficiency.	If there is evidence of infestation, then resident will likely report this and the presence of this defect may indicate that complaint-based work orders are not being addressed.
M2	Routine Maintenance	Direct	It is reasonable to expect that this deficiency would be identified through routine daily observations and facilities management would prioritize work orders to fix this deficiency.	If there is evidence of infestation, then it should be identified through routine maintenance activities and their presence may indicate that self-generated work orders are not being addressed.

INSPECTION PROCESS:

- OBSERVATION: - Look for evidence of other pests intruding an interior area.
 - Look for ant trails near food storage areas.
 - Look for wasp nests and beehives present in an interior area.
 - Look for evidence that squirrels, birds, or bats have penetrated the building covering and are nesting inside a building.
- REQUEST FOR HELP: - None
- ACTION: - None
- More Information: - None

TOOLS OR EQUIPMENT:

REQUIRED: - None

USEFUL: - Flashlight; Inspection mirror

SUMMARY OF CHANGES

TITLE: INFESTATION
VERSION: VI.3
DATE PUBLISHED: 7/31/20

FIELD	CHANGE	VERSION	DATE
Overall Formatting	Complete rework of document format and layout	VI.3	2020-07-31
Definition	Revised definition	VI.3	2020-07-31
Purpose	Field added	VI.3	2020-07-31
Common Components	Revised common components	VI.3	2020-07-31
Location	Revised inspectable locations	VI.3	2020-07-31
More Information	Field added	VI.3	2020-07-31
Deficiency 1	Separated by inspectable locations – Unit and Inside	VI.3	2020-07-31
Title	Added inspectable locations		
Health and Safety Determination	Added standardized description		
Correction Timeframe	Field added; response input as “Within 30 days”		
HCV – Correction Timeframe	Field added; response input as “Within 30 days”		
Rationale	Revised rationale categories, types, and explanations; added standardized codes and descriptions		
Inspection Process	Revised request for help, action, and more information		
Tools or Equipment	Field added to deficiency; response revised		
Deficiency 2	Separated by inspectable locations – Unit and Inside	VI.3	2020-07-31
Title	Added inspectable locations		
Health and Safety Determination	Added standardized description		
Correction Timeframe	Field added; response input as “Within 30 days”		
HCV – Correction Timeframe	Field added; response input as “Within 30 days”		
Rationale	Revised rationale categories, types, and explanations; added standardized codes and descriptions		

Inspection Process	Revised observation, request for help, action, and more information		
Tools or Equipment	Field added to deficiency; response revised		
Deficiency 3	Separated by inspectable locations — Unit and Inside	VI.3	2020-07-31
Title	Added inspectable locations		
Health and Safety Determination	Added standardized description		
Correction Timeframe	Field added; response input as "Within 30 days"		
HCV — Correction Timeframe	Field added; response input as "Within 30 days"		
Rationale	Revised rationale categories, types, and explanations; added standardized codes and descriptions		
Inspection Process	Revised observation, request for help, action, and more information		
Tools or Equipment	Field added to deficiency; response revised		
Deficiency 4	Separated by inspectable locations — Unit, Inside, and Outside	VI.3	2020-07-31
Title	Added inspectable locations		
Health and Safety Determination	Added standardized description		
Correction Timeframe	Field added; response input as "Within 30 days"		
HCV — Correction Timeframe	Field added; response input as "Within 30 days"		
Rationale	Revised rationale categories, types, and explanations; added standardized codes and descriptions		
Inspection Process	Revised observation, request for help, action, and more information		
Tools or Equipment	Field added to deficiency; response revised		
Deficiency 5	Separated by inspectable locations — Unit and Inside	VI.3	2020-07-31
Title	Added inspectable locations		
Deficiency Criteria	Revised deficiency criteria		
Health and Safety Determination	Added standardized description		
Correction Timeframe	Field added; response input as "Within 30 days"		
HCV — Correction Timeframe	Field added; response input as "Within 30 days"		
Rationale	Revised rationale categories, types, and explanations; added standardized codes and descriptions		
Tools or Equipment	Field added to deficiency; response revised		

Rationales	Updated following in-house review and public comment	VI-2	2019-12-27
Health and Safety Determinations	Updated following in-house review and public comment	VI-2	2019-12-27
Copy editing	----	VI-2	2019-12-27