

Life-Threatening Deficiencies

The NSPIRE standards include a category of severe health and safety (SHS) deficiencies. Life-threatening conditions are included within the SHS category. HUD seeks public feedback on its proposed list of life-threatening conditions and on its draft definition of the phrase, 'life-threatening'.



The life-threatening category includes deficiencies that, if evident in the home or on the property, present a high risk of death to residents.



These deficiencies include certain toxins, electrical hazards, fire hazards, significant fall hazards, and the absence of common life-safety devices designed to alert residents of such hazards or to directly protect against life-threatening hazards such as fire or natural disasters.

Send feedback to NSPIREStandards@HUD.gov and learn more about NSPIRE health and safety risks at https://www.hud.gov/program_offices/public_indian_housing/reac/nspire.



Scan to view the Life-Threatening Deficiencies webpage on the NSPIRE website.

Proposed List of Life-Threatening Deficiencies Based on the NSPIRE Standards:

UNIT AND INSIDE	OUTSIDE
<ul style="list-style-type: none"> • <u>Call-for-Aid System</u>: System does not function properly • <u>Carbon Monoxide Detector</u>: Carbon monoxide detector is missing, not installed, or not installed in proper location • <u>Carbon Monoxide Detector</u>: Carbon monoxide detector is obstructed • <u>Carbon Monoxide Detector</u>: Carbon monoxide detector does not produce audio or visual alarm when tested • <u>Door - Entry</u>: Entry door is missing • <u>Dryer Vent</u>: Gas dryer vent is missing, detached, or has a hole • <u>Dryer Vent</u>: Dryer vent has restricted airflow • <u>Egress</u>: Blocked egress on building 4 stories or more • <u>Egress</u>: Blocked egress on building 3 stories or less • <u>Exit Sign</u>: Exit sign that clearly identifies emergency exit is missing or obstructed • <u>Exposed Electrical Conductor</u>: Exposed electrical wire • <u>Fire Extinguisher</u>: Fire extinguisher pressure gauge reads over or under charged • <u>Fire Extinguisher</u>: Fire extinguisher service tag is missing or expired • <u>Fire Extinguisher</u>: Fire extinguisher is missing • <u>Flammable and Combustible Items</u>: Improperly stored flammable or combustible item on or near an ignition source 	<ul style="list-style-type: none"> • <u>Dryer Vent</u>: Exterior dryer vent cover is blocked • <u>Exit Sign</u>: Exit sign that clearly identifies emergency exit is missing or obstructed • <u>Exposed Electrical Conductor</u>: Exposed electrical wire • <u>Fire Escape</u>: Fire escape component damaged or missing • <u>Fire Extinguisher</u>: Fire extinguisher pressure gauge reads over or under charged • <u>Fire Extinguisher</u>: Fire extinguisher service tag is missing or expired • <u>Flammable and Combustible Items</u>: Improperly stored flammable or combustible item on or near an ignition source • <u>Foundation</u>: The foundation appears to be in imminent danger of collapse or failure • <u>GFCI/AFCI</u>: GFCI or AFCI have broken, cracked, or burned surfaces, or buttons are missing • <u>Guardrail</u>: Guardrail is missing where required • <u>Leak</u>: Natural gas, propane, or oil leak at the main • <u>Leak</u>: Natural gas, propane, or oil leak at the appliance • <u>Sharp Edges</u>: Sharp edges are present • <u>Smoke Alarm</u>: Smoke alarm not installed in each bedroom or on each level • <u>Smoke Alarm</u>: Smoke alarm does not produce audio or visual alarm when tested • <u>Structural</u>: Structure has failed or is in danger of failing • <u>Toilet</u>: Toilet is inoperable • <u>Water Heater</u>: Chimney or flue piping is misaligned, missing, or blocked

Last updated: 8/06/2020

