

**TITLE:** INFESTATION  
**VERSION:** V2.2  
**DATE PUBLISHED:** 06/23/22

**DEFINITION:** The presence of potentially disease carrying animals or insects.  
**PURPOSE:** None  
**COMMON COMPONENTS:** Insects: bees, wasps, termites, bedbugs, ants, spiders, cockroaches, fruit flies, flies, etc.  
Mammals: rats, mice, nutria, possum, raccoons, armadillos, bats, birds, squirrels, gophers, etc.  
Reptiles: snakes, iguanas, etc.  
**LOCATION:**  Unit Kitchen, cabinet, refrigerator, cooking appliance, bathroom, furniture, bed, carpet, drapes  
 Inside Kitchen, cabinet, refrigerator, cooking appliance, bathroom, furniture, carpet, drapes  
 Outside Near refuse enclosure or anywhere garbage is present, eaves of roofing  
**MORE INFORMATION:** None

**DEFICIENCY 1:** Evidence of cockroaches.  
**LOCATION:**  Unit  Inside

**DEFICIENCY 2:** Extensive cockroach infestation.  
**LOCATION:**  Unit  Inside

**DEFICIENCY 3:** Evidence of bedbugs.  
**LOCATION:**  Unit  Inside

**DEFICIENCY 4:** Evidence of mice.  
**LOCATION:**  Unit  Inside

**DEFICIENCY 5:** Evidence of rats.  
**LOCATION:**  Unit  Inside  Outside

**DEFICIENCY 6:** Evidence of other pests.  
**LOCATION:**  Unit  Inside

**DEFICIENCY I — UNIT: EVIDENCE OF COCKROACHES.**

**DEFICIENCY CRITERIA:** Evidence of cockroaches is found. Presence of dead or live cockroaches, shed skins, droppings (small black specks or smears), and egg cases (brown oblong cases: 5–9mm long). Three or fewer live cockroaches observed simultaneously in one location during the day are evidence of cockroaches.

**HEALTH AND SAFETY DETERMINATION:** Moderate      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

**CORRECTION TIMEFRAME:** 30 days

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

**OBSERVATION:**

- Look for dead or live cockroaches, shed skins, droppings (small black specks or smears), and egg cases (brown oblong cases: 5–9mm long).
- Three or fewer live cockroaches observed simultaneously in one location during the day are evidence of cockroaches.

**REQUEST FOR HELP:** - None

**ACTION:** Using an inspection mirror and flashlight, carefully examine each of the following:

- Kitchen sink,
- Kitchen cabinets,
- Voids between and under appliances and cabinets,
- Ceiling-wall junction,
- Bathroom,
- Tops of doors,
- Circuit breaker panel,
- Around outlets,
- Switches,
- Mechanical rooms, and
- Water heaters.

**MORE INFORMATION:** - None

**DEFICIENCY I — INSIDE: EVIDENCE OF COCKROACHES.**

**DEFICIENCY CRITERIA:** Evidence of cockroaches is found. Presence of dead or live cockroaches, shed skins, droppings (small black specks or smears), and egg cases (brown oblong cases: 5–9mm long). Three or fewer live cockroaches observed simultaneously in one location during the day are evidence of cockroaches.

**HEALTH AND SAFETY DETERMINATION:** Moderate The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

**CORRECTION TIMEFRAME:** 30 days  
**HCV PASS / FAIL:** Fail  
**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

**OBSERVATION:**

- Look for dead or live cockroaches, shed skins, droppings (small black specks or smears), and egg cases (brown oblong cases: 5–9mm long).
- Three or fewer live cockroaches observed simultaneously in one location during the day are evidence of cockroaches.

**REQUEST FOR HELP:** - None

**ACTION:** Using an inspection mirror and flashlight, carefully examine each of the following:

- Kitchen sink,
- Kitchen cabinets,
- Voids between and under appliances and cabinets,
- Ceiling-wall junction,
- Bathroom,
- Tops of doors,
- Circuit breaker panel,
- Around outlets,
- Switches,
- Mechanical rooms, and
- Water heaters.

**MORE INFORMATION:** - None

**DEFICIENCY 2 — UNIT: EXTENSIVE COCKROACH INFESTATION.**

**DEFICIENCY CRITERIA:** Multiple (more than 3) live cockroaches observed simultaneously during the day are a sign of extensive infestation. At least one cockroach in more than one location in the Unit is a sign of extensive infestation.

**HEALTH AND SAFETY DETERMINATION:** Severe Non-Life-Threatening The Severe Non-Life-Threatening category includes deficiencies that, if evident in the home or on the property, present a high risk of permanent disability, or serious injury or illness, to a resident; or the physical security or safety of a resident or their property would be seriously compromised.

**CORRECTION TIMEFRAME:** 24 hours

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

**OBSERVATION:**

- Look for dead or live cockroaches, shed skins, droppings (small black specks or smears), and egg cases (brown oblong cases: 5–9mm long).
- Multiple (more than 3) live cockroaches observed simultaneously during the day are a sign of extensive infestation.
- At least one cockroach in more than one location in the Unit is a sign of extensive infestation.

**REQUEST FOR HELP:** - None

**ACTION:** Using an inspection mirror and flashlight, carefully examine each of the following:

- Kitchen sink,
- Kitchen cabinets,
- Voids between and under appliances and cabinets,
- Ceiling-wall junction,
- Bathroom,
- Tops of doors,
- Circuit breaker panel,
- Around outlets,
- Switches,
- Mechanical rooms, and
- Water heaters.

**MORE INFORMATION:** - None

**DEFICIENCY 2 — INSIDE: EXTENSIVE COCKROACH INFESTATION.**

**DEFICIENCY CRITERIA:** Multiple (more than 3) live cockroaches observed simultaneously during the day are a sign of extensive infestation. Cockroaches found in two or more separate locations in the building is a sign of extensive infestation.

**HEALTH AND SAFETY DETERMINATION:** Moderate      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

**CORRECTION TIMEFRAME:** 30 days  
**HCV PASS / FAIL:** Fail  
**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

**OBSERVATION:**

- Look for dead or live cockroaches, shed skins, droppings (small black specks or smears), and egg cases (brown oblong cases: 5–9mm long).
- Multiple (more than 3) live cockroaches observed simultaneously during the day are a sign of extensive infestation.
- Cockroaches found in two or more separate locations in the building is a sign of extensive infestation.

**REQUEST FOR HELP:** - None

**ACTION:** Using an inspection mirror and flashlight, carefully examine each of the following:

- Kitchen sink,
- Kitchen cabinets,
- Voids between and under appliances and cabinets,
- Ceiling-wall junction,
- Bathroom,
- Tops of doors,
- Circuit breaker panel,
- Around outlets,
- Switches,
- Mechanical rooms, and
- Water heaters.

**MORE INFORMATION:** - None

**DEFICIENCY 3 — UNIT: EVIDENCE OF BEDBUGS.**

**DEFICIENCY CRITERIA:** Evidence of bedbugs is found.

**HEALTH AND SAFETY DETERMINATION:** Moderate      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

**CORRECTION TIMEFRAME:** 30 days

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

- OBSERVATION:** - Look near headboards, drapes, mattresses, couches, corner of walls, and near outlets for evidence of bedbugs (e.g., live or dead bedbugs, feces, eggs, or blood trails).
- REQUEST FOR HELP:** - None
- ACTION:** - Enter bedrooms in the Unit and use a flashlight to search edges at the sides of the bed and along the headboard, baseboard, and wall nearest the bed, the corners of the wall, and ceiling.
- MORE INFORMATION:** - For the purpose of this inspection, do not remove a resident's bedding or personal items.

**DEFICIENCY 3 — INSIDE: EVIDENCE OF BEDBUGS.**

**DEFICIENCY CRITERIA:** Evidence of bedbugs is found.

**HEALTH AND SAFETY DETERMINATION:** Moderate      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

**CORRECTION TIMEFRAME:** 30 days

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

**OBSERVATION:** - Look near drapes, couches, corner of walls, and near outlets for evidence of bedbugs (e.g., live or dead bedbugs, feces, eggs, or blood trails).

**REQUEST FOR HELP:** - None

**ACTION:** - Enter the common areas and use a flashlight to search baseboards, walls, the corners of the wall, and ceiling.

**MORE INFORMATION:** - None

DEFICIENCY 4 — UNIT: EVIDENCE OF MICE.

DEFICIENCY CRITERIA: Evidence of mice is found.

HEALTH AND SAFETY DETERMINATION: Moderate      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

CORRECTION TIMEFRAME: 30 days

HCV PASS / FAIL: Fail

HCV CORRECTION TIMEFRAME: 30 days

INSPECTION PROCESS:

OBSERVATION: - Look in the kitchen, trash area, behind and under refrigerators and stoves, and under the sink and baseboard heater for evidence of mice, such as droppings (size of grain of rice—small and smooth with pointed ends), chewed holes, urine trails, and smell.

REQUEST FOR HELP: - None

ACTION: - None

MORE INFORMATION: - If there is a sticky pad or trap with a mouse on it, record a deficiency.  
 - If there is a sticky pad or trap without a mouse on it, do not record a deficiency.



**DEFICIENCY 4 — INSIDE: EVIDENCE OF MICE.**

**DEFICIENCY CRITERIA:** Evidence of mice is found.

**HEALTH AND SAFETY DETERMINATION:** Moderate      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

**CORRECTION TIMEFRAME:** 30 days

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

- OBSERVATION:** - Look in the kitchen, trash area, behind and under refrigerators and stoves, and under the sink and baseboard heater for evidence of mice, such as droppings (size of grain of rice—small and smooth with pointed ends), chewed holes, urine trails, and smell.
- REQUEST FOR HELP:** - None
- ACTION:** - None
- MORE INFORMATION:** - If there is a sticky pad or trap with a mouse on it, record a deficiency.  
 - If there is a sticky pad or trap without a mouse on it, do not record a deficiency.

DEFICIENCY 5 — UNIT: EVIDENCE OF RATS.

DEFICIENCY CRITERIA: Evidence of rats is found.

HEALTH AND SAFETY DETERMINATION: **Moderate**      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

CORRECTION TIMEFRAME: 30 days

HCV PASS / FAIL: Fail

HCV CORRECTION TIMEFRAME: 30 days

INSPECTION PROCESS:

OBSERVATION: Look in all areas where trash and food is prevalent for:

- Rat burrows,
- Rat droppings (shiny, black and ½ to ¾ of an inch long), or
- Chewed holes in exterior door sweeps or at the edges of outer doors (rat teeth are typically 1/8 inch long).

REQUEST FOR HELP: - None

ACTION: - None

MORE INFORMATION: - If there is a sticky pad or trap with a rat on it, record a deficiency.  
 - If there is a sticky pad or trap without a rat on it, do not record a deficiency.

DEFICIENCY 5 — INSIDE: EVIDENCE OF RATS.

DEFICIENCY CRITERIA: Evidence of rats is found.

HEALTH AND SAFETY DETERMINATION: **Moderate**      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

CORRECTION TIMEFRAME: 30 days

HCV PASS / FAIL: Fail

HCV CORRECTION TIMEFRAME: 30 days

INSPECTION PROCESS:

OBSERVATION: Look in all areas where trash and food is prevalent for:

- Rat burrows,
- Rat droppings (shiny, black and ½ to ¾ of an inch long), or
- Chewed holes in exterior door sweeps or at the edges of outer doors (rat teeth are typically 1/8 inch long).

REQUEST FOR HELP: - None

ACTION: - None

MORE INFORMATION: - If there is a sticky pad or trap with a rat on it, record a deficiency.  
 - If there is a sticky pad or trap without a rat on it, do not record a deficiency.

DEFICIENCY 5 — OUTSIDE: EVIDENCE OF RATS.

DEFICIENCY CRITERIA: Evidence of rats is found.

HEALTH AND SAFETY DETERMINATION: **Moderate**      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

CORRECTION TIMEFRAME: 30 days

HCV PASS / FAIL: Fail

HCV CORRECTION TIMEFRAME: 30 days

INSPECTION PROCESS:

OBSERVATION: Look in all areas where trash and food is prevalent for:

- Rat burrows,
- Rat droppings (shiny, black and ½ to ¾ of an inch long), or
- Chewed holes in exterior door sweeps or at the edges of outer doors (rat teeth are typically 1/8 inch long).

REQUEST FOR HELP: - None

ACTION: - None

MORE INFORMATION: - If there is a sticky pad or trap with a rat on it, record a deficiency.  
 - If there is a sticky pad or trap without a rat on it, do not record a deficiency.

**DEFICIENCY 6 — UNIT: EVIDENCE OF OTHER PESTS.**

**DEFICIENCY CRITERIA:** Evidence is present of other pest infestations, including but not limited to a trail of ants, wasps or beehives, squirrels, birds, and bats in an interior area.

**HEALTH AND SAFETY DETERMINATION:** Moderate      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

**CORRECTION TIMEFRAME:** 30 days

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

- OBSERVATION:**
- Look for evidence of other pests intruding an interior area.
  - Look for ant trails near food storage areas.
  - Look for wasp nests and beehives present in an interior area.
  - Look for evidence that squirrels, birds, or bats have penetrated the building covering and are nesting inside a building.
- REQUEST FOR HELP:** - None
- ACTION:** - None
- MORE INFORMATION:** - None

**DEFICIENCY 6 — INSIDE: EVIDENCE OF OTHER PESTS.**

**DEFICIENCY CRITERIA:** Evidence is present of other pest infestations, including but not limited to a trail of ants, wasps or beehives, squirrels, birds, and bats in an interior area.

**HEALTH AND SAFETY DETERMINATION:** **Moderate** The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

**CORRECTION TIMEFRAME:** 30 days

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

- OBSERVATION:**
- Look for evidence of other pests intruding an interior area.
  - Look for ant trails near food storage areas.
  - Look for wasp nests and beehives present in an interior area.
  - Look for evidence that squirrels, birds, or bats have penetrated the building covering and are nesting inside a building.
- REQUEST FOR HELP:** - None
- ACTION:** - None
- MORE INFORMATION:** - None

**SUMMARY OF CHANGES**

**TITLE:** INFESTATION  
**VERSION:** V2.2  
**DATE PUBLISHED:** 06/23/22

FIELD	CHANGE	VERSION	DATE
----	<b>Abbreviated published version</b>	<b>V2.2</b>	<b>2022-06-23</b>
Name Variants	Removed from published version		
Common Materials	Removed from published version		
Rationale	Removed from published version		
Tools or Equipment	Removed from published version		
<b>Deficiency 1</b>		<b>V2.2</b>	<b>2022-06-23</b>
Health and Safety Determination	Unit: Relabeled from "Standard" to "Moderate" Inside: Relabeled from "Standard" to "Moderate"		
<b>Deficiency 2</b>		<b>V2.2</b>	<b>2022-06-23</b>
Health and Safety Determination	Inside: Relabeled from "Standard" to "Moderate"		
<b>Deficiency 3</b>		<b>V2.2</b>	<b>2022-06-23</b>
Health and Safety Determination	Unit: Relabeled from "Standard" to "Moderate" Inside: Relabeled from "Standard" to "Moderate"		
<b>Deficiency 4</b>		<b>V2.2</b>	<b>2022-06-23</b>
Health and Safety Determination	Unit: Relabeled from "Standard" to "Moderate" Inside: Relabeled from "Standard" to "Moderate"		
<b>Deficiency 5</b>		<b>V2.2</b>	<b>2022-06-23</b>
Health and Safety Determination	Unit: Relabeled from "Standard" to "Moderate" Inside: Relabeled from "Standard" to "Moderate" Outside: Relabeled from "Standard" to "Moderate"		
<b>Deficiency 6</b>		<b>V2.2</b>	<b>2022-06-23</b>
Health and Safety Determination	Unit: Relabeled from "Standard" to "Moderate" Inside: Relabeled from "Standard" to "Moderate"		

<b>Deficiency 1</b>		<b>V2.1</b>	<b>2021-04-02</b>
Deficiency Criteria	Unit & Inside: Revised deficiency criteria		
Rationale	Unit & Inside: Revised R1 explanation		
Inspection Process	Unit & Inside: Revised observation		
<b>Deficiency 2</b>	<b>Added new deficiency</b>	<b>V2.1</b>	<b>2021-04-02</b>
Title	Unit & Inside: Added title		
Deficiency Criteria	Unit & Inside: Added deficiency criteria		
Health and Safety Determination	Unit: Added as "Severe Non-Life-Threatening"; Inside: added as "Standard"		
Rationale	Unit & Inside: Added rationales, types, and explanations		
Inspection Process	Unit & Inside: Added observation and action		
Tools or Equipment	Unit & Inside: Added useful tools or equipment		
<b>Deficiency 1</b>		<b>V2.0</b>	<b>2020-10-28</b>
Health and Safety Determination	Added standardized description		
HCV Pass / Fail	Field added; response input as "Fail"		
Rationale	Copy edits		
<b>Deficiency 2</b>		<b>V2.0</b>	<b>2020-10-28</b>
Health and Safety Determination	Added standardized description		
HCV Pass / Fail	Field added; response input as "Fail"		
Rationale	Revised rationale categories and explanations		
<b>Deficiency 3</b>		<b>V2.0</b>	<b>2020-10-28</b>
Health and Safety Determination	Added standardized description		
HCV Pass / Fail	Field added; response input as "Fail"		
Rationale	Copy edits		
<b>Deficiency 4</b>		<b>V2.0</b>	<b>2020-10-28</b>
Health and Safety Determination	Added standardized description		
HCV Pass / Fail	Field added; response input as "Fail"		
Rationale	Copy edits		



<b>Deficiency 5</b>		<b>V2.0</b>	<b>2020-10-28</b>
Health and Safety Determination	Added standardized description		
HCV Pass / Fail	Field added; response input as "Fail"		
Rationale	Copy edits		
<b>Overall Formatting</b>	<b>Complete rework of document format and layout</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>Definition</b>	<b>Revised definition</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>Purpose</b>	<b>Field added</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>Common Components</b>	<b>Revised common components</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>Location</b>	<b>Revised inspectable locations</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>More Information</b>	<b>Field added</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>Deficiency 1</b>	<b>Separated by inspectable locations – Unit and Inside</b>	<b>VI.3</b>	<b>2020-07-31</b>
Title	Added inspectable locations		
Health and Safety Determination	Added standardized description		
Correction Timeframe	Field added; response input as "Within 30 days"		
HCV – Correction Timeframe	Field added; response input as "Within 30 days"		
Rationale	Revised rationale categories, types, and explanations; added standardized codes and descriptions		
Inspection Process	Revised request for help, action, and more information		
Tools or Equipment	Field added to deficiency; response revised		
<b>Deficiency 2</b>	<b>Separated by inspectable locations – Unit and Inside</b>	<b>VI.3</b>	<b>2020-07-31</b>
Title	Added inspectable locations		
Health and Safety Determination	Added standardized description		
Correction Timeframe	Field added; response input as "Within 30 days"		
HCV – Correction Timeframe	Field added; response input as "Within 30 days"		
Rationale	Revised rationale categories, types, and explanations; added standardized codes and descriptions		
Inspection Process	Revised observation, request for help, action, and more information		
Tools or Equipment	Field added to deficiency; response revised		

<b>Deficiency 3</b>	<b>Separated by inspectable locations — Unit and Inside</b>	<b>VI.3</b>	<b>2020-07-31</b>
Title	Added inspectable locations		
Health and Safety Determination	Added standardized description		
Correction Timeframe	Field added; response input as "Within 30 days"		
HCV — Correction Timeframe	Field added; response input as "Within 30 days"		
Rationale	Revised rationale categories, types, and explanations; added standardized codes and descriptions		
Inspection Process	Revised observation, request for help, action, and more information		
Tools or Equipment	Field added to deficiency; response revised		
<b>Deficiency 4</b>	<b>Separated by inspectable locations — Unit, Inside, and Outside</b>	<b>VI.3</b>	<b>2020-07-31</b>
Title	Added inspectable locations		
Health and Safety Determination	Added standardized description		
Correction Timeframe	Field added; response input as "Within 30 days"		
HCV — Correction Timeframe	Field added; response input as "Within 30 days"		
Rationale	Revised rationale categories, types, and explanations; added standardized codes and descriptions		
Inspection Process	Revised observation, request for help, action, and more information		
Tools or Equipment	Field added to deficiency; response revised		
<b>Deficiency 5</b>	<b>Separated by inspectable locations — Unit and Inside</b>	<b>VI.3</b>	<b>2020-07-31</b>
Title	Added inspectable locations		
Deficiency Criteria	Revised deficiency criteria		
Health and Safety Determination	Added standardized description		
Correction Timeframe	Field added; response input as "Within 30 days"		
HCV — Correction Timeframe	Field added; response input as "Within 30 days"		
Rationale	Revised rationale categories, types, and explanations; added standardized codes and descriptions		
Tools or Equipment	Field added to deficiency; response revised		
<b>Rationales</b>	<b>Updated following in-house review and public comment</b>	<b>VI-2</b>	<b>2019-12-27</b>
<b>Health and Safety Determinations</b>	<b>Updated following in-house review and public comment</b>	<b>VI-2</b>	<b>2019-12-27</b>

---

Copy editing

----

VI-2

2019-12-27

---