

**TITLE:** POTENTIAL LEAD-BASED PAINT HAZARDS — VISUAL ASSESSMENT  
**VERSION:** V2.2  
**DATE PUBLISHED:** 06/23/22

**DEFINITION:** Lead-based paint (LBP) is paint or other surface coatings that contain lead equal to or exceeding federal regulatory levels, currently 1.0 milligram per square centimeter or 0.5 percent by weight. Deteriorated paint or surface coatings found in homes built before 1978 are LBP hazards if the paint is LBP. Visual Assessment is surface by surface determination of paint condition.

**PURPOSE:** Lead was added to paint to accelerate drying, increase durability, maintain a fresh appearance, and resist moisture that causes corrosion.

**COMMON COMPONENTS:** Surfaces include: Walls, Ceilings, Trim, Doors, Windows, Floors

**LOCATION:**  Unit Anywhere paint is present  
 Inside Anywhere paint is present  
 Outside Anywhere paint is present

**MORE INFORMATION:** Unit corresponds to “Interior”, Inside corresponds to “Common Areas”, and Outside corresponds to “Exterior” in the Lead Safe Housing Rule (24 CFR Part 35, Subparts B–R).

Target properties are determined based on the property profile.

Property Profile: Housing constructed prior to 1978.

**DEFICIENCY 1:** Paint in a Unit or Inside the target property is deteriorated — below the level required for lead-safe work practices by a lead-certified firm or for passing clearance.

**LOCATION:**  Unit  Inside

**DEFICIENCY 2:** Paint in a Unit or Inside the target property is deteriorated — above the level required for lead-safe work practices by a lead-certified firm and passing clearance.

**LOCATION:**  Unit  Inside

**DEFICIENCY 3:** Paint Outside on a target property is deteriorated — below the level required for lead-safe work practices by a lead-certified firm or for passing clearance.

**LOCATION:**  Outside

**DEFICIENCY 4:** Paint Outside on a target property is deteriorated — above the level required for lead-safe work practices by a lead-certified firm and passing clearance.

**LOCATION:**  Outside

**DEFICIENCY I — UNIT:** PAINT IN A UNIT OR INSIDE THE TARGET PROPERTY IS DETERIORATED — BELOW THE LEVEL REQUIRED FOR LEAD-SAFE WORK PRACTICES BY A LEAD-CERTIFIED FIRM OR FOR PASSING CLEARANCE.

**DEFICIENCY CRITERIA:** Paint is deteriorated (e.g., peeling, chipping, chalking, cracking, or detached from the substrate). For large surface areas in the Unit, deteriorated paint is less than or equal to 2 square feet, per room; for small surface areas, less than or equal to 10% per component (“de minimis”).

**HEALTH AND SAFETY DETERMINATION:** Moderate      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

**CORRECTION TIMEFRAME:** 30 days

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

- OBSERVATION:**
- Property Profile: Examine the property profile to determine if the property was built pre-1978. If it was built in 1978 or afterwards, peeling paint is not a deficiency. If the building was built pre-1978, continue these steps.
  - Please note: For the purposes of this inspection, if the property profile states that the property was constructed pre-1978, you must assume that all painted structures on the property were built pre-1978.
  - For large surfaces in the Unit or Inside (e.g., walls, ceilings and floors):
    - Look at large painted surface areas in the Unit, including walls, ceilings, doors, and floors. Examine these areas for peeling or deteriorated paint, damage to the surface such as holes that expose paint layers, and friction on painted surfaces.
  - For small components in the Unit or Inside (e.g., windowsills, window trough, trim):
    - Look at small painted surface areas, including trim, doors, windows, windowsills, baseboards, and built-ins. Examine these areas for peeling or deteriorated paint, damage to the surface such as holes that expose paint layers, and friction on painted surfaces.

**REQUEST FOR HELP:** - None

- ACTION:**
- For large surfaces in the Unit or Inside (e.g., walls, ceilings, and floors):
    - Evaluate the approximate length and width of the damage or deterioration. Determine the total area, per room, of the peeling or deteriorated paint.
  - For small components in the Unit or Inside (e.g., windowsills, window trough, trim):
    - Check painted surfaces that are subject to friction (e.g., painted steps, doors that rub on the jamb, wood window sashes) or impact (e.g., doorknobs that bang on walls) for wear; if wear is visible, include the worn area in the total deteriorated area.

**MORE INFORMATION:** - None

**DEFICIENCY I — INSIDE:** PAINT IN A UNIT OR INSIDE THE TARGET PROPERTY IS DETERIORATED — BELOW THE LEVEL REQUIRED FOR LEAD-SAFE WORK PRACTICES BY A LEAD-CERTIFIED FIRM OR FOR PASSING CLEARANCE.

**DEFICIENCY CRITERIA:** Paint is deteriorated (e.g., peeling, chipping, chalking, cracking, or detached from the substrate). For large surface areas inside the target property, deteriorated paint is less than or equal to 2 square feet, per room; for small surface areas, less than or equal to 10% per component (“de minimis”).

**HEALTH AND SAFETY DETERMINATION:** Moderate      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

**CORRECTION TIMEFRAME:** 30 days

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

- OBSERVATION:**
- Property Profile: Examine the property profile to determine if the property was built pre-1978. If it was built in 1978 or afterwards, peeling paint is not a deficiency. If the building was built pre-1978, continue these steps.
  - Please note: For the purposes of this inspection, if the property profile states that the property was constructed pre-1978, you must assume that all painted structures on the property were built pre-1978.
  - For large surfaces in the Unit or Inside (e.g., walls, ceilings, and floors):
    - Look at large painted surface areas in the Unit, including walls, ceilings, doors, and floors. Examine these areas for peeling or deteriorated paint, damage to the surface such as holes that expose paint layers, and friction on painted surfaces.
  - For small components in the Unit or Inside (e.g., windowsills, window trough, trim):
    - Look at small painted surface areas, including trim, doors, windows, windowsills, baseboards, and built-ins. Examine these areas for peeling or deteriorated paint, damage to the surface such as holes that expose paint layers, and friction on painted surfaces.

**REQUEST FOR HELP:** - None

- ACTION:**
- For large surfaces in the Unit or Inside (e.g., walls, ceilings, and floors):
    - Evaluate the approximate length and width of the damage or deterioration. Determine the total area, per room, of the peeling or deteriorated paint.
  - For small components in the Unit or Inside (e.g., windowsills, window trough, trim):
    - Check painted surfaces that are subject to friction (e.g., painted steps, doors that rub on the jamb, wood window sashes) or impact (e.g., doorknobs that bang on walls) for wear; if wear is visible, include the worn area in the total Unit or Inside deteriorated area.

**MORE INFORMATION:** - None

**DEFICIENCY 2 — UNIT:** PAINT IN A UNIT OR INSIDE THE TARGET PROPERTY IS DETERIORATED — ABOVE THE LEVEL REQUIRED FOR LEAD-SAFE WORK PRACTICES BY A LEAD-CERTIFIED FIRM AND PASSING CLEARANCE.

**DEFICIENCY CRITERIA:** Paint is deteriorated (e.g., peeling, chipping, chalking, cracking, or detached from the substrate). For large surface areas in the Unit, deteriorated paint is more than 2 square feet, per room; for small surface areas, greater than 10% per component (“significant”).

**HEALTH AND SAFETY DETERMINATION:** Severe Non-Life-Threatening      The Severe Non-Life-Threatening category includes deficiencies that, if evident in the home or on the property, present a high risk of permanent disability, or serious injury or illness, to a resident; or the physical security or safety of a resident or their property would be seriously compromised.

**CORRECTION TIMEFRAME:** 24 hours

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

- OBSERVATION:**
- Property Profile: Examine the property profile to determine if the property was built pre-1978. If it was built in 1978 or afterwards, peeling paint is not a deficiency. If the building was built pre-1978, continue these steps.
  - Please note: For the purposes of this inspection, if the property profile states that the property was constructed pre-1978, you must assume that all painted structures on the property were built pre-1978.
  - For large surfaces in the Unit or Inside (e.g., walls, ceilings, and floors):
    - Look at large painted surface areas in the Unit, including walls, ceilings, doors, and floors. Examine these areas for peeling or deteriorated paint, damage to the surface such as holes that expose paint layers, and friction on painted surfaces.
  - For small components in the Unit or Inside (e.g., windowsills, window trough, trim):
    - Look at small painted surface areas, including trim, doors, windows, windowsills, baseboards, and built-ins. Examine these areas for peeling or deteriorated paint, damage to the surface such as holes that expose paint layers, and friction on painted surfaces.

**REQUEST FOR HELP:** - None

- ACTION:**
- For large surfaces in the Unit or Inside (e.g., walls, ceilings, and floors):
    - Evaluate the approximate length and width of the damage or deterioration. Determine the total area, per room, of the peeling or deteriorated paint.
  - For small components in the Unit or Inside (e.g., windowsills, window trough, trim):
    - Check painted surfaces that are subject to friction (e.g., painted steps, doors that rub on the jamb, wood window sashes) or impact (e.g., doorknobs that bang on walls) for wear; if wear is visible, include the worn area in the total Unit or Inside deteriorated area.

**MORE INFORMATION:** - This deficiency is a Severe NLT; paint stabilization within 30 days will follow the Lead Safe Housing Rule (LSHR).

**DEFICIENCY 2 — INSIDE:** PAINT IN A UNIT OR INSIDE THE TARGET PROPERTY IS DETERIORATED — ABOVE THE LEVEL REQUIRED FOR LEAD-SAFE WORK PRACTICES BY A LEAD-CERTIFIED FIRM AND PASSING CLEARANCE.

**DEFICIENCY CRITERIA:** Paint is deteriorated (e.g., peeling, chipping, chalking, cracking, or detached from the substrate). For large surface areas Inside the target property, deteriorated paint is more than 2 square feet, per room; for small surface areas, greater than 10% per component (“significant”).

**HEALTH AND SAFETY DETERMINATION:** Severe Non-Life-Threatening The Severe Non-Life-Threatening category includes deficiencies that, if evident in the home or on the property, present a high risk of permanent disability, or serious injury or illness, to a resident; or the physical security or safety of a resident or their property would be seriously compromised.

**CORRECTION TIMEFRAME:** 24 hours

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

- OBSERVATION:**
- Property Profile: Examine the property profile to determine if the property was built pre-1978. If it was built in 1978 or afterwards, peeling paint is not a deficiency. If the building was built pre-1978, continue these steps.
  - Please note: For the purposes of this inspection, if the property profile states that the property was constructed pre-1978, you must assume that all painted structures on the property were built pre-1978.
  - For large surfaces in the Unit or Inside (e.g., walls, ceilings, and floors):
    - Look at large painted surface areas in the Unit, including walls, ceilings, doors, and floors. Examine these areas for peeling or deteriorated paint, damage to the surface such as holes that expose paint layers, and friction on painted surfaces.
  - For small components in the Unit or Inside (e.g., windowsills, window trough, trim):
    - Look at small painted surface areas, including trim, doors, windows, windowsills, baseboards, and built-ins. Examine these areas for peeling or deteriorated paint, damage to the surface such as holes that expose paint layers, and friction on painted surfaces.

**REQUEST FOR HELP:** - None

- ACTION:**
- For large surfaces in the Unit or Inside (e.g., walls, ceilings, and floors):
    - Evaluate the approximate length and width of the damage or deterioration. Determine the total area, per room, of the peeling or deteriorated paint.
  - For small components in the Unit or Inside (e.g., windowsills, window trough, trim):
    - Check painted surfaces that are subject to friction (e.g., painted steps, doors that rub on the jamb, wood window sashes) or impact (e.g., doorknobs that bang on walls) for wear; if wear is visible, include the worn area in the total Unit or Inside deteriorated area.

**MORE INFORMATION:** - This deficiency is a Severe NL; paint stabilization within 30 days will follow the Lead Safe Housing Rule (LSHR).

**DEFICIENCY 3 — OUTSIDE:** PAINT OUTSIDE ON A TARGET PROPERTY IS DETERIORATED — BELOW THE LEVEL REQUIRED FOR LEAD-SAFE WORK PRACTICES BY A LEAD-CERTIFIED FIRM OR FOR PASSING CLEARANCE.

**DEFICIENCY CRITERIA:** Paint is deteriorated (e.g., peeling, chipping, chalking, cracking, or detached from the substrate). Deteriorated paint is less than or equal to 20 square feet (“de minimis”).

**HEALTH AND SAFETY DETERMINATION:** Moderate      The Moderate Health and Safety category includes deficiencies that, if evident in the home or on the property, present a moderate risk of an adverse medical event requiring a healthcare visit; cause temporary harm; or if left untreated, cause or worsen a chronic condition that may have long-lasting adverse health effects; or that the physical security or safety of a resident or their property could be compromised.

**CORRECTION TIMEFRAME:** 30 days  
**HCV PASS / FAIL:** Fail  
**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

- OBSERVATION:**
- Property Profile: Examine the property profile to determine if the property was built pre-1978. If it was built in 1978 or afterwards, peeling paint is not a deficiency. If the building was built pre-1978, continue with these steps.
  - Please note: For the purposes of this inspection, if the property profile states that the property was constructed pre-1978, you must assume that all painted structures on the property were built pre-1978.
  - For large Outside surfaces:
    - Look at large Outside surface areas that are painted, including siding, fascia, soffit, trim, patios or decks, fencing, and any other large painted surfaces on the Outside of the building. Examine these areas for peeling or deteriorated paint, and for holes.
    - Check painted surfaces that are subject to friction (e.g., painted steps, doors that rub on the jamb, wood window sashes) or impact (e.g., doorknobs that bang on walls), for wear; if wear is visible, include the worn area in the total Outside deteriorated area.
- REQUEST FOR HELP:** - None
- ACTION:**
- For large Outside surfaces:
    - Evaluate the square footage of the damage or deterioration across all Outside large surfaces throughout the whole of the Outside of the entire building cumulatively.
- MORE INFORMATION:** - None

**DEFICIENCY 4 — OUTSIDE:** PAINT OUTSIDE ON A TARGET PROPERTY IS DETERIORATED — ABOVE THE LEVEL REQUIRED FOR LEAD-SAFE WORK PRACTICES BY A LEAD-CERTIFIED FIRM AND PASSING CLEARANCE.

**DEFICIENCY CRITERIA:** Paint is deteriorated (e.g., peeling, chipping, chalking, cracking, or detached from the substrate). Deteriorated paint is more than 20 square feet (“significant”).

**HEALTH AND SAFETY DETERMINATION:** Severe Non-Life-Threatening      The Severe Non-Life-Threatening category includes deficiencies that, if evident in the home or on the property, present a high risk of permanent disability, or serious injury or illness, to a resident; or the physical security or safety of a resident or their property would be seriously compromised.

**CORRECTION TIMEFRAME:** 24 hours

**HCV PASS / FAIL:** Fail

**HCV CORRECTION TIMEFRAME:** 30 days

**INSPECTION PROCESS:**

- OBSERVATION:**
- Property Profile: Examine the property profile to determine if the property was built pre-1978. If it was built in 1978 or afterwards, peeling paint is not a deficiency. If the building was built pre-1978, continue with these steps.
  - Please note: For the purposes of this inspection, if the property profile states that the property was constructed pre-1978, you must assume that all painted structures on the property were built pre-1978.
  - For large Outside surfaces:
    - Look at large Outside surface areas that are painted, including siding, fascia, soffit, trim, patios or decks, fencing, and any other large painted surfaces on the Outside of the building. Examine these areas for peeling or deteriorated paint, damage to the surface such as holes that expose paint layers, and friction on painted surfaces.
    - Check painted surfaces that are subject to friction (e.g., painted steps, doors that rub on the jamb, wood window sashes) or impact (e.g., doorknobs that bang on walls) for wear; if wear is visible, include the worn area in the total Outside deteriorated area.
- REQUEST FOR HELP:** - None
- ACTION:**
- For large Outside surfaces:
    - Evaluate the square footage of the damage or deterioration across all Outside large surfaces throughout the whole of the Outside of the entire building cumulatively.
- MORE INFORMATION:** - This deficiency is a Severe NLT; paint stabilization within 30 days will follow the Lead Safe Housing Rule (LSHR).

**SUMMARY OF CHANGES**

**TITLE:** POTENTIAL LEAD-BASED PAINT HAZARDS — VISUAL ASSESSMENT  
**VERSION:** V2.2  
**DATE PUBLISHED:** 06/23/22

FIELD	CHANGE	VERSION	DATE
----	<b>Abbreviated published version</b>	V2.2	2022-06-23
Name Variants	Removed from published version		
Common Materials	Removed from published version		
Rationale	Removed from published version		
Tools or Equipment	Removed from published version		
<b>Deficiency 1</b>		V2.2	2022-06-23
Health and Safety Determination	Unit: Relabeled from “Standard” to “Moderate” Inside: Relabeled from “Standard” to “Moderate”		
<b>Deficiency 3</b>		V2.2	2022-06-23
Health and Safety Determination	Outside: Relabeled from “Standard” to “Moderate”		
<b>More Information</b>	<b>Revised response</b>	V2.1	2021-04-02
<b>Deficiency 2</b>		V2.1	2021-04-02
Health and Safety Determination	Unit & Inside: Revised to “Severe Non-Life-Threatening”		
Inspection Process	Unit & Inside: Revised more information		
<b>Deficiency 4</b>		V2.1	2021-04-02
Health and Safety Determination	Outside: Revised to “Severe Non-Life-Threatening”		
Inspection Process	Outside: Revised more information		
<b>Title</b>	<b>Revised title</b>	V2.0	2020-10-28
<b>Definition</b>	<b>Revised definition</b>	V2.0	2020-10-28
<b>Purpose</b>	<b>Revised purpose</b>	V2.0	2020-10-28
<b>Name Variants</b>	<b>Revised name variants</b>	V2.0	2020-10-28

<b>Common Materials</b>	<b>Revised common materials</b>	<b>V2.0</b>	<b>2020-10-28</b>
<b>Common Components</b>	<b>Revised common components</b>	<b>V2.0</b>	<b>2020-10-28</b>
<b>More Information</b>	<b>Revised more information</b>	<b>V2.0</b>	<b>2020-10-28</b>
<b>Deficiency 1</b>	<b>Revised deficiency</b>	<b>V2.0</b>	<b>2020-10-28</b>
Title	Revised title; added inspectable locations		
Deficiency Criteria	Revised deficiency criteria		
Health and Safety Determination	Added standardized description		
HCV Pass / Fail	Field added; response input as "Fail"		
Rationale	Revised rationale codes, categories, types, and explanations		
Inspection Process	Revised observation, action, and more information		
Tools or Equipment	Revised response		
<b>Deficiency 2</b>	<b>Added deficiency</b>	<b>V2.0</b>	<b>2020-10-28</b>
Title	Added title; added inspectable locations		
Deficiency Criteria	Added deficiency criteria		
Health and Safety Determination	Added standardized description		
HCV Pass / Fail	Field added; response input as "Fail"		
Rationale	Added rationale codes, categories, types, and explanations		
Inspection Process	Added observation, action, and more information		
Tools or Equipment	Added response		
<b>Deficiency 3</b>	<b>Added deficiency</b>	<b>V2.0</b>	<b>2020-10-28</b>
Title	Added title; added inspectable locations		
Deficiency Criteria	Added deficiency criteria		
Health and Safety Determination	Added standardized description		
HCV Pass / Fail	Field added; response input as "Fail"		
Rationale	Added rationale codes, categories, types, and explanations		
Inspection Process	Added observation, action, and more information		
Tools or Equipment	Added response		

<b>Deficiency 4</b>	<b>Added deficiency</b>	<b>V2.0</b>	<b>2020-10-28</b>
Title	Added title; added inspectable locations		
Deficiency Criteria	Added deficiency criteria		
Health and Safety Determination	Added standardized description		
HCV Pass / Fail	Field added; response input as "Fail"		
Rationale	Added rationale codes, categories, types, and explanations		
Inspection Process	Added observation, action, and more information		
Tools or Equipment	Added response		
<b>Overall Formatting</b>	<b>Complete rework of document format and layout</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>Definition</b>	<b>Revised definition</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>Purpose</b>	<b>Field added</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>Name Variants</b>	<b>Revised name variants</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>Common Materials</b>	<b>Revised common materials</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>Location</b>	<b>Revised inspectable locations</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>More Information</b>	<b>Field added</b>	<b>VI.3</b>	<b>2020-07-31</b>
<b>Deficiency 1</b>	<b>Separated by inspectable locations — Unit, Inside, and Outside</b>	<b>VI.3</b>	<b>2020-07-31</b>
Title	Revised title; added inspectable locations		
Deficiency Criteria	Revised deficiency criteria		
Health and Safety Determination	Revised to "Standard" determination; added standardized description		
Correction Timeframe	Field added; response input as "Within 30 days"		
HCV — Correction Timeframe	Field added; response input as "Within 30 days"		
Rationale	Revised rationale codes, categories, types, and explanations; added standardized descriptions		
Inspection Process	Revised observation, request for help, action, and more information		
Tools or Equipment	Field added to deficiency; response revised		
<b>Deficiency 2</b>	<b>Removed deficiency (captured under revised Deficiency 1)</b>	<b>VI.3</b>	<b>2020-07-31</b>