



2.0 System Summary

2 SYSTEM SUMMARY

The Web Access Security Subsystem was developed to centralize the secure connection and secure access to HUD systems. Regular USERS initiate contact with the system through their desktop web browsers using the Internet or the HUD Intranet. The network connection (Internet or Intranet) puts the user in connection with the PIH-REAC web site. For external Regular USERS, the first step is online registration to obtain a User ID. Once a User ID is issued, the user can login and access systems with the set of privileges assigned at registration.

2.1 System Configuration

WASS processes registrations with the assistance of FHA Connection. And CENCOR mails registration forms to Business Partners. WASS is the first stop when you Login. It manages your Secure Connection and Secure Systems access. These relationships are portrayed in Figure 2-1.




Figure 2-1 WASS Relationships and Functions

2.2 Data Flows

WASS 3.0.0.0 serves as a complex filter that sets a framework for different users to access the systems and carry out their functions on behalf of HUD Business Partners and HUD.

Most of the privileges available to external Regular USERS are associated with the transmittal of information to HUD about HUD related business activities in the field.

Data flows from the external Regular USERS to HUD and is stored by and processed in one or more systems. Most of the functionality in WASS is the looking up of information stored in various tables to tell the security subsystem who you are, where you can go, and what you can do when you get there. It also keeps track of all the changes that Coordinators make to property assignment, business partner assignment, PHA assignments, roles, and actions. For Coordinators, these filters are presented to the user in a series of windows. Regular USERS will only see the windows and the information selected for them by their Coordinator.

Table 2-1 Data Bases Users and Their Privileges

Table	Description
HUD systems addressed by WASS	A reference table of HUD's secure internet and intranet systems.
System Actions that define user rights	A reference table of system actions that are used to define user rights to Secure Systems data and functionality.
The names of people who can access systems through WASS	A HUD trusted business partner, employee, or contractor that has been granted the authority to access Secure System.
User Rights	The definition of a user's system rights in terms of one or more system actions.
User Roles	A functional position that is used to categorize system users
Assignment of Roles to USERS	The assignment of a specific role to a given user
System Groups that are used to assign system rights	A reference table of system groups that are used to categorize users for purposes of assigning system rights.
Actions for system groups	The definition of a system group in terms of one or more system actions.
USERS and Business Partners	A Secure Systems user's association to the trusted business partner under which he/she registered for a User ID. A secure System Coordinator may be associated with multiple trusted Business Partners.
Property Assignments	The assignment of a user to a property in a specific role.
Assistance Contract Assignments	The assignments of a user to assistance contract in a specific role.
PHA Assignments	The assignment of a user to a Public Housing Authority (PHA) in a specific role.
Participant Assignment	The assignment of a user to a participant in a specific role.
Password and Registration Activities	A transaction request for LDAP server, which may be a password change, user reinstatement, user termination. A transaction request may also be for resending a Secure Connection registration letter.
User Group Assignments	The assignment of a user to a specific system group.
Definitions of Roles Linkage to Actions	The definition of a role in terms of one or more system actions.

2.3 User Access Levels

The *Secure Systems* screen is divided into two sections - *Systems* and *System Administration*. Determine Access Rights is the process that decides what system links and what system administrative links are displayed on the Secure Systems screen. Links to the systems for which a user has access rights are displayed under *Systems*. System administrative links for which a user has access rights are displayed under *System Administration*.

It is the responsibility of Coordinators/System Administrators to perform system administration functions that establish system access for their USERS. Before they can set access rights for any of their USERS a Coordinator must first establish himself or herself as the Coordinator/System Administrator. This is accomplished through *User ID Maintenance - Maintain User Profile* in which the Coordinator/System Administrator selects the desired system(s) to be accessed (see *Maintain User Data* section for explanation of this function). The systems selected under a Coordinator/System Administrator's user profile determine what system links are displayed on the *Secure Systems* screen for the Coordinator/System Administrator. The system links displayed for USERS depend upon the roles assigned to the User by his/her Coordinator/System Administrator through *Maintain User Information* (see *Maintain User Data* section for explanation of this function).

2.4 Contingencies and Alternate Modes of Operation

WASS has extensive redundancy. This means that as long as the systems are available, you can rely on WASS to be operational. There are no alternative means to access the various systems should WASS be unavailable.